



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name Evap Pow'R C (4168)
CAS # Mixture
Product use Evaporator Coil Cleaner
Manufacturer Nu-Calgon
2008 Altom Court
St. Louis, MO 63146 US
Phone: 314-469-7000 / 800-554-5499
Emergency Phone: 1-800-424-9300 (CHEMTREC)

2. Hazards Identification

Emergency overview CAUTION
MAY CAUSE SKIN IRRITATION. MAY CAUSE EYE IRRITATION.
MAY CAUSE RESPIRATORY TRACT IRRITATION.

Potential short term health effects

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

Eyes May cause irritation.

Skin May cause irritation. May be absorbed through the skin.

NIOSH - Pocket Guide - Skin Notations
Ethylene glycol monobutyl ether 111-76-2 Potential for dermal absorption

Inhalation Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).

Ingestion May cause stomach distress, nausea or vomiting.

Target organs Blood. Eyes. Kidney. Liver. Respiratory system. Skin.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential environmental effects Components of this product have been identified as having potential environmental concerns.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethylene glycol monobutyl ether	111-76-2	3 - 7
Alcohols, C7-21, ethoxylated	68991-48-0	1 - 5
Sodium xylene sulphonate	1300-72-7	1 - 5

4. First Aid Measures

First aid procedures

Eye contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Inhalation Remove affected person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Ingestion Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

Notes to physician Symptoms may be delayed.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties	Not flammable by WHMIS/OSHA criteria.
Extinguishing media	
Suitable extinguishing media	Water spray. Fog. Dry chemical. Carbon dioxide.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of sulphur.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

7. Handling and Storage

Handling	Use good industrial hygiene practices in handling this material. When using do not eat or drink. Avoid contact with skin and clothing. Avoid contact with eyes. Avoid breathing vapors or mists of this product. Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling.
Storage	Keep out of reach of children. Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Alcohols, C7-21, ethoxylated	ACGIH-TLV Not established OSHA-PEL Not established
Ethylene glycol monobutyl ether	ACGIH-TLV TWA: 20 ppm OSHA-PEL TWA: 50 ppm
Sodium xylene sulphonate	ACGIH-TLV Not established OSHA-PEL Not established

Engineering controls

General ventilation normally adequate.

Personal protective equipment

Eye / face protection

Wear safety glasses with side shields.

Hand protection

Rubber gloves. Confirm with a reputable supplier first.

Skin and body protection

As required by employer code.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

When using do not eat or drink.

Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance	Clear
Color	Green
Form	Liquid
Odor	butyl
Odor threshold	Not available
Physical state	Liquid
pH	7.9 (Concentrate)
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	Not available
Octanol/water coefficient	Not available
Viscosity	Not available
Percent volatile	Not available

10. Stability and Reactivity

Reactivity	Reacts vigorously with acids.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of sulphur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Alcohols, C7-21, ethoxylated	Not available
Ethylene glycol monobutyl ether	2.21 mg/l/4h rat
Sodium xylene sulphonate	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
Alcohols, C7-21, ethoxylated	1410 mg/kg rat
Ethylene glycol monobutyl ether	470 mg/kg rat; 320 mg/kg rabbit
Sodium xylene sulphonate	7200 mg/kg rat

Effects of acute exposure

Eye	May cause irritation.
Skin	May cause irritation. May be absorbed through the skin.

NIOSH - Pocket Guide - Skin Notations

Ethylene glycol monobutyl ether 111-76-2 Potential for dermal absorption

Inhalation Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).

Ingestion May cause stomach distress, nausea or vomiting.

Sensitization Non-hazardous by WHMIS/OSHA criteria.

Chronic effects Non-hazardous by WHMIS/OSHA criteria.

Carcinogenicity See below.

ACGIH - Threshold Limit Values - Carcinogens

Ethylene glycol monobutyl ether 111-76-2 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

IARC - Group 3 (Not Classifiable)

Ethylene glycol monobutyl ether 111-76-2 Monograph 88 [2006]

Mutagenicity Non-hazardous by WHMIS/OSHA criteria.

Reproductive effects Non-hazardous by WHMIS/OSHA criteria.

Teratogenicity Non-hazardous by WHMIS/OSHA criteria.

Name of Toxicologically Synergistic Products Not available

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental concerns.

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

Ethylene glycol monobutyl ether 111-76-2 96 Hr LC50 *Lepomis macrochirus*: 1490 mg/L [static]; 96 Hr LC50 *Lepomis macrochirus*: 2950 mg/L

Ecotoxicity - Water Flea - Acute Toxicity Data

Ethylene glycol monobutyl ether 111-76-2 24 Hr EC50 *Daphnia magna*: 1698 - 1940 mg/L; 48 Hr EC50 *Daphnia magna*: >1000 mg/L

Persistence / degradability Not available

Bioaccumulation / accumulation Not available

Mobility in environmental media Not available

Environmental effects Not available

Aquatic toxicity	Not available
Partition coefficient	Not available
Chemical fate information	Not available
Other adverse effects	Not available

13. Disposal Considerations

Disposal instructions	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportation (DOT)	Not regulated as dangerous goods.
Transportation of Dangerous Goods (TDG - Canada)	Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.
-------------------------------------	---

Canada - CEPA - Schedule I - List of Toxic Substances

Ethylene glycol monobutyl ether 111-76-2 Present

Canada - WHMIS - Ingredient Disclosure List

Ethylene glycol monobutyl ether 111-76-2 1 %

WHMIS status	Controlled
WHMIS classification	Class D - Division 2B
WHMIS labeling	



Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

US Federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
-------------------------------	--

CERCLA (Superfund) reportable quantity
None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
 Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Water Act (CWA)	Not available
------------------------------	---------------

State regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Ethylene glycol monobutyl ether 111-76-2 Present

U.S. - Massachusetts - Right To Know List

Ethylene glycol monobutyl ether 111-76-2 Present

U.S. - Minnesota - Hazardous Substance List

Ethylene glycol monobutyl ether 111-76-2 Skin

U.S. - New Jersey - Right to Know Hazardous Substance List

Ethylene glycol monobutyl ether 111-76-2 sn 0275

U.S. - Pennsylvania - RTK (Right to Know) List

Ethylene glycol monobutyl ether 111-76-2 Present

U.S. - Rhode Island - Hazardous Substance List

Ethylene glycol monobutyl ether 111-76-2 Toxic (skin)

Inventory name


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	* 1
Flammability	0
Physical Hazard	0
Personal Protection	X

**Disclaimer**

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

25-Oct-2012

Effective date

15-Oct-2012

Expiry date

15-Oct-2015

Prepared by

Nu-Calgon Technical Service (314) 469-7000

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.