



DESIGNED TO HEAT.
BUILT TO LAST.

GAS

FIREPLACE INSERTS





Q1 Fireplace Insert – Minimal Surround Glass Burner with Porcelain Liner



Q1 Fireplace Insert – Modern Surround, Coal Burner, Ledgestone Liner



Q1 Fireplace Insert – Contemporary Surround With Filler Panel, Log Burner with Brick Liner

Design Features

- Clean Face Look — No Louvers
- SIT Valve 820 (Standing Pilot)
- SIT Valve 885 (IPI System with Remote)
- Glass Size: 17½" x 19¾", 345½ in²
- High Definition Log Set
- 150 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty
- Quick Access Valve Controls

Available Options

- Remote or Thermostat Control
- Coal, or Log Set Burner
- Liners Options:
 - Brick Liner with Logs
 - Porcelain Liner with Glass or Logs
 - Ledgestone Liner
- Surround Options:
 - Minimal Surround
 - 4-Sided Minimal Surround
 - Modern Stainless Steel Surround
 - Trimmable Surround

Fireplace Details

Model	Q1
BTU Maximum Input	20,000 BTU
BTU Minimum Output	7,900 BTU
Heating Area	1,100 ft²
Steady State Efficiency	76%
Min. Insert Dims.	27½"h 20¼"w 14¼"d



High Definition Log Set



Coal Burner



Tray Burner with Crushed Glass



E20 with Keystone Surround Panel, Porcelain Liner, Black Glass



E20 with Contemporary Surround Panel, Fluted Liner, and Log Set



E20 with Extruded Surround Panel, Brick Liner, and Log Set

Design Features

- Clean Face Look — No Louvers
- Cast Iron Heat Exchanger
- SIT Valve 820 (Standing Pilot)
- Glass Size: 21 $\frac{1}{4}$ " x 13 $\frac{3}{4}$ ", 300 in²
- High Definition Log Set
- Easy Access Burner Switch
- Stainless Steel Burner
- 110 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty

Available Options

- Hearth Shelf
- Remote or Thermostat Control
- Glass or Log Set Burner
- Liner Options:
 - Brick or Fluted Liner with Logs
 - Black Enameled Liner with Glass or Logs
- Surround Options:
 - Keystone Surround
 - Contemporary Surround
 - Extruded Surround
 - 4-Sided Extruded Surround
 - Trimmable Surround

Fireplace Details

Model	E20
BTU Maximum Input	23,000 BTU
BTU Minimum Output	8,000 BTU
Heating Area	1,200 sq. ft.
Steady State Efficiency	81%
Min. Install Dims.	18 $\frac{1}{4}$ "h 24 $\frac{1}{4}$ "w 14"d



Extruded Surround Panel



Black Glass with Decorative Stones



Ceramic Brick Liner with Log Set



E30 with 4 Sided Extruded Surround Panel, Porcelain Liner, and Clear Glass



E30 with Contemporary Surround Panel, Brick Liner, and Log Set



E30 with Keystone Surround Panel, Brick Liner, Log Set, and Hearth Shelf

Design Features

- Clean Face Look — No Louvers
- SIT Valve 820 (Standing Pilot)
- SIT Valve 885 (IPI System with Remote)
- Glass Size: 26 1/4" x 16", 420 in²
- High Definition Log Set
- Easy Access Burner Switch
- Stainless Steel Burner
- 150 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty

Available Options

- Hearth Shelf
- Remote or Thermostat Control
- Glass or Log Set Burners
- Liners Options:
 - Brick Liner with Logs
 - Black Enameled Liner with Glass or Logs
 - Ledgestone Liner
- Surround Options:
 - Keystone Surround
 - Contemporary Surround
 - Extruded Surround
 - 4-Sided Extruded Surround
 - Trimmable Surround

Fireplace Details

Model	E30
BTU Maximum Input	33,000 BTU
BTU Minimum Output	10,000 BTU
Heating Area	1,700 sq. ft.
Steady State Efficiency	81%
Min. Install Dims.	19 7/8" h 27 7/8" w 16" d



Ceramic Brick Liner with Log Set



Keystone Surround Panel



Black Glass Fire Bed



E33 with Keystone Surround Panel, Porcelain Liner, and Log Set



E33 with Extruded Surround Panel, Brick Liner, and Log Set



E33 with Contemporary Surround Panel, Porcelain Liner with Black Glass

Design Features

- Clean Face Look — No Louvers
- SIT Valve 820 (Standing Pilot)
- SIT Valve 885 (IPI System with Remote)
- Glass Size: 28½" x 18", 513 in²
- High Definition Log Set
- Easy Access Burner Switch
- Stainless Steel Burner
- 150 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty
- Quick Access Valve Controls
Contemporary and Extruded Panels Only

Available Options

- Hearth Shelf
- Remote or Thermostat Control
- Glass, Log Set, or Rock Burner
- Liners Options:
 - Brick Liner with Logs
 - Black Enameled Liner with Glass or Logs
 - LedgeStone Liner
- Surround Options:
 - Keystone Surround
 - Contemporary Surround
 - Extruded Surround
 - 4-Sided Contemporary Surround
 - Trimmable Surround

Fireplace Details

Model	E33
BTU Maximum Input	34,000 BTU
BTU Minimum Output	11,000 BTU
Heating Area	1,800 sq. ft.
Steady State Efficiency	82%
Min. Install Dims.	20"h 32"w 18¾"d



Clear Glass with Tray Burner



Clear View Safety Screen



Log Set on Cast Iron Grate Bed



E44 with Contemporary Surround, LedgeStone Liner, and Log Set

Design Features

- Clean Face Look — No Louvers
- SIT Valve 885 (IPI System with Remote)
- Glass Size: 30 5/8" x 22 1/4", 681 in²
- High Definition Log Set
- Remote Control Included
- Stainless Steel Burner
- 150 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty

Available Options

- Hearth Shelf
- Thermostat Control
- Liners Options:
 - Brick Liner
 - Black Enameled Liner
 - LedgeStone Liner
- Surround Options:
 - Keystone Surround
 - Cape Cod Doors
 - Contemporary Surround
 - Extruded Surround
 - 4-Sided Extruded Surround
 - Trimmable Surround

Fireplace Details


Model	E44
BTU Maximum Input	42,000 BTU
BTU Minimum Output	13,000 BTU
Heating Area	2,300 sq. ft.
Steady State Efficiency	82%
Min. Install Dims.	24"h 34½"w 20⅞"d



Cape Cod Doors with Safety Screen



Hearth Shelf




Log Set with LedgeStone Liner

Performance	Q1	E20	E30	E33	E44
	Vertical Gas Insert	Small Gas Insert	Medium Gas Insert	Large Gas Insert	Extra Large Gas Insert
BTU Maximum input	20,000 BTU	23,000 BTU	33,000 BTU	34,000 BTU	42,000 BTU
Turn Down*	7,900 BTU	8,000 BTU	10,000 BTU	11,000 BTU	13,000 BTU
Heat Exchanger	Steel	Cast Iron	Steel	Steel	Steel
SIT Valve 820 (Standing Pilot)	Available	Available	Available	Available	
SIT Valve 885 (IPI)	Available		Available	Available	Available
Efficiency - Steady State**	76%	81%	81%	82%	82%
Efficiency - AFUE	67%	71%	63%	66%	66%
Efficiency - FE rating***	79%	61%	70%	70%	63%
Glass Size	17½" x 19¾", 345½in ²	21¾" x 13¾", 300in ²	26¼" x 16", 420in ²	28½" x 18", 513in ²	30 ¾" x 22¼", 681in ²
Convection Fan	150 CFM	110 CFM	150 CFM	150 CFM	150 CFM

Installation ****	Q1			E20			E30			E33			E44		
	Vertical Gas Insert			Small Gas Insert			Medium Gas Insert			Large Gas Insert			Extra Large Gas Insert		
	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH
Min. Install Dims.	27½"	20¼"	14¼"	18¼"	24¼"	14"	19 7/8"	27 7/8"	16"	20"	32"	18 3/8"	24"	34½"	20 7/8"
LP Conversion Kit (SP)	Standard			Standard			Standard			Standard					
LP Conversion Kit (IPI)	Optional						Optional			Optional			Optional		
Venting (Direct Vent)	3" x 3"			3" x 2"			3" x 3"			3" x 3"			3" x 3"		
Weight (lbs)	170 lbs			90 lbs			116 lbs			135 lbs			210 lbs		
Wood ZC Fireplace Approved	Standard			Standard			Standard			Standard			Standard		
ZC Floor Removal Approved	Standard						Standard			Standard					

Clearance to Combustibles	Q1	E20	E30	E33	E44
A - center of unit to side wall	16½"	19½"	21"	24"	23½"
B - bottom of unit to bottom of 12" mantle	41"	39¾"	36"	36"	40"
C - unit bottom to max. ¾" combustible facing	35¼"	37½"	30"	30"	40"
D - center of unit to side facing	10"	16½"	22"	23"	23"
E - front of door to edge of floor protection	12"	13"	16"	16"	16" ****



* Turn down based on AFUE efficiencies on low.
 ** Steady state rating based on conventional venting configuration.
 *** E30 and E33 efficiency based on the P4 measured efficiency rating of the IPI models.
 **** Based on a minimum ½" raised hearth (18" flush).
 Install depths dependent on choice of surround panel. Breakdown available at www.enviro.com/insert-depth.pdf

Surround Panels	Q1		E20		E30		E33		E44	
	Vertical Gas Insert	Small Gas Insert	Medium Gas Insert	Large Gas Insert	Extra Large Gas Insert	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT
Contemporary Surround	32"	36"	23.8"	35.4"	25"	39.8"	26.5"	44.1"	30.1"	45"
Keystone Surround			23.8"	35.4"	25"	39.8"	26.5"	43.5"	30.1"	45"
Extruded Surround			23.8"	35.4"	25"	39.8"	26.5"	44.1"	30.1"	45"
Trimmable Surround	32"	36"	28.8"	41.8"	38"	46"	38"	46"	36"	55"
Cape Cod Doors									30.1"	45"
Oversize Contemporary Surround			26.9"	37.4"	29"	39.8"	29"	44.1"		
Oversize Extruded Surround			26.9"	37.4"	29"	39.8"	29"	44.1"		
4-Sided Extruded Surround			29.6"	35.4"	31.4"	39.8"			37.1"	45"
4-Sided Trimmable Surround			39.5"	41.8"	41.1"	46"			47"	55"
Minimal Surround	26.4"	22.8"								
Modern Surround	30"	30"								

Firebox Liners	Q1	E20	E30	E33	E44
	Vertical Gas Insert	Small Gas Insert	Medium Gas Insert	Large Gas Insert	Extra Large Gas Insert
Ceramic Brick Liner	✓	✓	✓	✓	✓
Black Enameled Steel Liner	✓	✓	✓	✓	✓
Ceramic Fluted Liner		✓			
Ledgestone Liner	✓		✓	✓	✓

Burner Variations	Q1	E20	E30	E33	E44
	Vertical Gas Insert	Small Gas Insert	Medium Gas Insert	Large Gas Insert	Extra Large Gas Insert
High Definition Log Set Burner	✓	✓	✓	✓	✓
Glass Burner (Black Glass)	Crushed Glass	Pebble Glass	Pebble Glass		
Coal Burner	✓				
High Definition Rock Set Burner				✓	

Additional Options	Q1	E20	E30	E33	E44
	Vertical Gas Insert	Small Gas Insert	Medium Gas Insert	Large Gas Insert	Extra Large Gas Insert
Decorative Stones (Glass Tray Burners Only)		✓	✓		
Hearth Shelf (N/A with 4-Sided Surround Panels)	✓	✓	✓	✓	✓
Riser (N/A with 4-Sided Surround Panels)	✓	✓	✓	✓	✓
Programmable Thermostat	✓	✓	✓	✓	✓
Proflame Remote Control	Standard with IPI Optional with 820 Nova	Optional	Standard with IPI Optional with 820 Nova	Standard with IPI Optional with 820 Nova	Standard

Surround Panels



Extruded
Available for the E20, E30, E33, and the E44



Contemporary
Available for the Q1, E20, E30, E33, and the E44



Keystone
Available for the E20, E30, E33, and the E44



Trimable
Available for the Q1, E20, E30, E33, and the E44



Minimal
Available for the Q1



4-Sided Extruded
Available for the E20, E30, and the E44




Modern
Available for the Q1


Firebox Elements



Ceramic Brick Liner
Available for the Q1, E20, E30, E33, and the E44



Ceramic Fluted Liner
Available for the E20



Black Enameled Steel Liner
Available for the Q1, E20, E30, E33, and the E44




Ledgestone Liner
Available for the Q1, E30, E33, and E44



Tray Burner with Glass
Beads for the E20, E30 and E33 / Crushed for the Q1



High Definition Log Set
Available for the Q1, E20, E30, E33, and the E44



Coal Burner
Available for the Q1



High Definition Rock Set
Available for the E33



Decorative Stones
Available for the E20 and E30 (glass burner only)

Learn more about
your dream fireplace at

enviro.com

- *Youtube Burn Videos*
- *Detailed Product lineup*
- *Fireplace Photo Galleries*
- *Unit Comparison Charts*
- *Downloadable Manuals*
- *Online Brochures*

