### THE ULTIMATE IN EFFICIENCY BY DESIGN



# IIX 96

QUIETCOMFORT® IIX 96 TWO-STAGE GAS FURNACE

96% AFUE









## The Strength Behind The Brand

Choosing a Heil® furnace means more than just selecting a brand. It means selecting a product backed with tremendous assets in design engineering, quality manufacturing, and service support—as well as a

100-year tradition of excellence. We're dedicated to bringing you home comfort products that meet and exceed your expectations for high

quality, energy efficiency, and reliability.

You can depend on us.




#### **Spread The Warmth**

Wonder why a typical furnace turns on and off frequently, creating noticeable temperature swings? It could be caused by the rapid heat-up and shutdown cycle of a single-stage heating system. With a two-stage system, the furnace automatically adjusts to the temperature—normally operating at a quieter, primary stage and adjusting to full capacity to boost heat when temperatures drop. An integrated control system adjusts the flow of gas and the speed of the blower motor to each stage. When matched with select Heil® air conditioners and evaporator coils, the furnace's ECM blower motor can also increase cooling efficiency, boosting your system's SEER† rating.§ Heil furnaces include a number of features in every unit that ensure minimal operating noise, including a sturdy steel cabinet that is thermallined and insulated, a sealed-blower compartment, and softmount components.

\*SEER stands for Seasonal Energy Efficiency Ratio.

<sup>§</sup>As compared to the Air-Conditioning, Heating and Refrigeration Institute's standard coil-only rating.



#### **Our Word On It**

Heil units are backed by exceptional warranties, including our No Hassle Replacement™ limited warranty, which gives the original purchaser a replacement unit if the heat exchanger should fail due to defect within the first five years. Upon timely registration, you also get a 10-year parts limited warranty and a lifetime limited warranty on the heat exchanger.\*

\*Limited warranty period is 5 years for parts and 20 years for heat exchanger if not registered within 90 days of installation. Jurisdictions where warranty benefits cannot be conditioned on registration will receive the registered limited warranty periods. Please see warranty certificate for further details and restrictions.

#### **Designed For Dependability**

The heart of every furnace is the heat exchanger. The proven RPJ® (Rigid Press Joint) heat exchanger is designed to move more heat to the outside surface for increased heat transfer. The weld-free, interlocking clamshell design reduces cracking or separating over the life of the gas furnace. The RPJ heat exchanger plays a significant role in boosting this model's efficiency to a 96% AFUE† rating. So you can count on energy savings, especially compared to an older, less-efficient furnace.

<sup>‡</sup>AFUE stands for Annual Fuel Utilization Efficiency.

The QuietComfort® IIX 96 automatically adapts its operation to match your heating requirements. When the weather outside gets colder, the higher stage kicks in, increasing the speed of the circulation motor and the output of the burners to provide maximum warmth and comfort.

#### **Higher AFUE Equals Greater Energy Savings**



60 AFUE 64 AFUE 70 AFUE 80 AFUE 90 AFUE 92 AFUE 96 AFUE 97 AFUE

Percentage based on national averages; may vary according to efficiency of current unit and installation.

#### YEAR-ROUND COMFORT

A completely integrated system of Heil heating and cooling products can maximize comfort and efficiency.

- a. Humidifier enhances comfort by reducing dryness in the air.
- b. Air Cleaner filters out many indoor air pollutants so the air in your home is cleaner.
- c. Full-color Touchscreen Observer™ Communicating Control allows you to customize heating and cooling levels and can also save energy.












- d. Furnace is designed for maximum comfort and efficiency, and built rugged for years of operation.
- e. Air Conditioner keeps your home cool and comfortable while saving on energy.
- f. Evaporator/Indoor Coil matches your Heil air conditioner and furnace to ensure great performance.
- g. UV Lights help prevent the growth of microbes on the coils. (Not available on all models.)



#### INNOVATIONS THAT ENHANCE YOUR COMFORT

(1) Reliable **Direct hot**surface ignition system features an advanced silicon nitride igniter and in-shot burners for greater reliability.



reliable gas valve and induced draft motor all help ensure safe operation.

(3) Quiet

**(2)** Safe

Solid, pre-painted steel insulated cabinet with tightfit door latch system; blower motor isolated behind a sealed door; and soft-mount rubber gaskets on key components lower operating sounds.

Comfort

Two-stage, redundant gas valve and two-speed induced draft blower adjust to higher or lower settings when more or less heat is needed. Heated air is delivered by an efficient ECM blower motor. This model is also compatible with two-stage cooling. Advanced dehumidification capability can reduce additional moisture in the air when paired with an air conditioner or heat pump and a humidity-sensing thermostat.

5 System Control

State-of-the-art electronic controls monitor system operation and allow for faster, easier system diagnostics.



### QUIETCOMFORT® IIX 96 TWO-STAGE GAS FURNACE

	MAINLINE MODELS						
Heil Gas Furnace Comparison	XS 80	IIS 80	VS 80	DLX 96	IIX 96	VT 96	VC 97
MODEL Series	G8MX	G8MT	G8MV	G9MXE	G9MXT	G9MVT	G9MAC
AFUE RATING	80%	80%	80%	96%	96%	96%	97%
HEAT EXCHANGER WARRANTY*	20 YR	20 YR	20 YR	LIFE TIME	LIFE TIME	LIFE TIME	LIFE TIME
NO HASSLE REPLACEMENT™ Limited Warranty	1 YR	5 YR	10 YR	1 YR	5YR	10 YR	10 YR
PARTS WARRANTY*	10 YR	10 <b>Y</b> R	10 YR	10 YR	10 YR	10 YR	10 YR
TWO-STAGE OPERATION Self-adjusting heat modes			•				
MODULATING OPERATION Multiple Heat Modes				0			
TWO-STAGE COOLING Compatible			•	•			
ADVANCED DEHUMIDIFICATION CAPABILITY			•	•			•
STAINLESS STEEL RPJ® Weld-Free Heat Exchanger							•
ALUMINIZED STEEL RPJ® Weld-Free Heat Exchanger	•	•	•	•	•		
VARIABLE-SPEED HIGH EFFICIENCY ECM Circulation Blower Motor			•				•
HIGH EFFICIENCY ECM Circulation Blower Motor	•			•	•		
STANDARD PSC Circulation Blower Motor							
INSULATED BLOWER COMPARTMENT	•	•			•	•	•
CABINET HEIGHT	33%″	331/3″	331/3″	35″	35″	35″	35″
LOW NOX Available	•	•	•	•	•	•	•
DUAL FUEL COMPATIBLE with Dual Fuel Thermostat							

<sup>†</sup>Many models are ENERGY STAR\* qualified. Ask your contractor for details or visit www.energystar.gov.

\*AFUE stands for Annual Fuel Utilization Efficiency. Higher number = Greater efficiency.

= Greater efficiency.
\*Timely registration required for 10 year limited parts warranty and lifetime limited heat exchanger warranty. Limited warranty period is 5 years for parts and 20 years for heat exchanger if not registered within 90 days of installation. Jurisdictions where warranty benefits cannot be conditioned on registration will receive the registered limited warranty periods. Please see warranty certificate for further details and restrictions.



All systems tested and listed by the appropriate agencies.







ISO 9001: 2000 Registered

As part of its commitment to quality, International Comfort Products, LLC, reserves the right to change specifications on its products without notice. Illustrations and photographs in this brochure are only representative. Some product models may vary.

G9MXT Series
© 2011 International Comfort Products, LLC

650 Heil Quaker Ave. • Lewisburg, TN 37091

**Heil-HVAC.com**