

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE




EVOLUTIONARY STYLE. REVOLUTIONARY FLEXIBILITY.




FIREPLACE GENERAL DIMENSIONS


34-1/4" -6-3/8" -2-5/8" -2-5/8" -2-5/8" -2-5/8" -2-5/8" -2-5/8" -2-5/8" -2-5/8"


MQZDV3927






MQZDV4634







DECORATIVE EMBER GLASS



BRONZE 1/2" GLASS
MOG5C



WHITE 'n' GLASS

MQG5W



 $\frac{\text{AZURIA }^{1}\text{/2" GLASS}}{\text{MQG5A}}$

Model	MQZDV3927N	MQZDV3927LP	MQZDV4634N	MQZDV4634LP	
	MQZDV3927NE	MQZDV3927LPE	MQZDV4634NE	MQZDV4634LPE	
Fuel	Natural Gas	Propane	Natural Gas	Propane	
Input High	42,500 BTU	40,500 BTU	59,000 BTU	55,500 BTU	
Input Low	29,000 BTU	32,000 BTU	40,500 BTU	44,000 BTU	
FE (P.4.1-02)	66.9% / 68.9%	66.9% / 68.9%	50.8% / 52.1%	50.8% / 52.1%	
Viewing Are	a 26 3/4" W	26 3/4" W x 34 1/4"H		33 7/8"W x 44"H	
Venting 5/7" Kingsman Flex or 5/8" with Adapter		7/10" Kingsman Flex Vent			

STANDARD FEATURES

- > SIT Valve with Hi/Lo Flame and BTU Adjustment
- > Accent Lighting

OPTIONAL FEATURES

Choice of Millivolt or IPI electronic ignition system with battery backup, and cold climate switch

Log Set - Fiber Split Oak

Glass or Rock Tray Support Platform

Rock Sets - Contemporary Collection in Natural, or Multi-Colored

Decorative Glass - White, Blue, or Bronze

Porcelain Panels or choice of Brick Liners

Remote Controls – On/Off, Thermostat, Modulating and Fan/Light Control Module

Fan Kit - Heat activated with variable speed control.

Thermostat - Wall mount or Programmable.



BRICK LINER OPTIONS



HERRINGBONE
MO39RLH, MO46RLH



HERRINGBONE RED
MO39RRH, MO46RRH



TRADITIONAL
MO39RLT, MO46RLT




SANDSTONE
MO39RLS, MO46RLS


FRAMING YOUR GAS FIREPLACE


Clearance to Combustibles Af Min. Clearance to Vertical Pipe 3/4 Min. Clearance to Vertical Pipe 3/4 Min. Clearance to Wall Thimble SS-1/2 Minmum

MQZDV3927





MQZDV4634





CORNER FRAME DIMENSIONS











Winnipeg, Manitoba, Canada R2R 2V3 Phone: 204.632.1962 Fax: 204.632.1960 www.marquisfireplaces.net Kingsman Fireplaces maintains a program of continuous testing refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

Certification:The models MQZDV3927N, MQZDV3927LP, MQZDV3927NE, MQZDV3927LPE are certified as a Vented Gas Fireplace Heater ANSI Z2I.88-2009, CSA 2.33-2009, CGA 2.17-M91 The models MQZDV4634N, MQZDV4634N, MQZDV4634NE, MQZDV4634NE, MQZDV2634LPE are certified as a Vented Gas Fireplace ANSI Z2I.50b-2009, CSA 2.123-2009, CGA 2.17-M91

B071 - 04/10