The solution for water shortages









Data Sheet RGW-250



BRAC System RGW-250


The RGW-250 is our most popular tank, which is perfectly designed for the averaged sized home with a family of 4. Not only will you be saving money on your water bill, but you will also be reducing your household water consumption by up to a third, thus helping to conserve our most precious natural resource.


Capacity


250 Liters 66 Gallons US

Dimensions

60" Height (152 cm) 22.5" Width (57 cm) 95 lbs (43 kg)







Suction Lift Performance Table

| Model RGW | Discharge pressure in psi | Capacity in US gallons per Minute Suction Lift in Feet | | | | | | Max pump boost pressure | |
|--------------|---------------------------------|---|------|------|------|------|------|----------------------------------|--|
| | | 0 | 5 | 10 | 15 | 20 | 25 | (psi) | |
| 150/250 | 10 | 16.6 | 15.6 | 14.6 | 13.6 | 12.7 | 11.7 | | |
| | 20 | 12.0 | 11.0 | 10.0 | 9.0 | 7.8 | 6.6 | 40 | |
| | 30 | 7.1 | 5.8 | 4.5 | 3.2 | 2.0 | 0.6 | | |
| 350/450 | 10 | 22.4 | 22.1 | 21.7 | 21.3 | 20.8 | 20.5 | | |
| | 20 | 20.7 | 20.2 | 19.8 | 19.2 | 18.8 | 18.2 | 67 | |
| | 30 | 18.3 | 17.8 | 17.1 | 16.2 | 15.3 | 14.2 | | |
| | 40 | 14.7 | 13.8 | 12.9 | 12.1 | 11.1 | 10.2 | | |
| | 50 | 10.5 | 9.3 | 8.1 | 6.9 | 5.6 | 4.3 | | |

Specification:

| -p | | | | | | | | | | | |
|--------------|---------------|---------------|-----------|----------------|--------------|--------|-------------------|--|--|--|--|
| Model RGW | Power (HP) | Cycle (Hz) | Phase (Ø) | Voltage (V) | Amp's (A) | H max. | Q max. (GPM) | | | | |
| 150/250 | 1/2 | 60 | 1 | 115 / 230 | 6.0/3.0 | 92 | 18.5 | | | | |
| 350/450 | 1 | 60 | 1 | 115 / 230 | 11/5.5 | 154 | 23.8 | | | | |

Estimated Yearly Consumption (*1)

2 person 41 Kwh

4 person 82 Kwh

6 person 123 Kwh

Peak Startup Surge 2100 Watts

22.75"

(*1) Based on 7 flushes/person/day (6 litre toilet).